


[Sign in](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

**Web**Results 31 - 40 of about 646,000 for **serializing items data single string** . (0.09 seconds)

### SingletonNode

Determine the **data** type of the **items** in the expression. int, getLength() ... Convert the value to a **string**, using the **serialization** rules. **Item** · itemAt(int ...

dsd.lbl.gov/~hoschek/javatree/share/xml/ saxonb-

8.6.1/doc/javadoc/net/sf/saxon/value/SingletonNode.html - 39k - [Cached](#) - [Similar pages](#)

### How to: Add Data to the Clipboard

A Clipboard format is a **string** that identifies the format so that an ... Use these methods when you work with **data** in a **single**, common format such as text. ...

msdn2.microsoft.com/en-US/library/637ys738.aspx - 33k - [Cached](#) - [Similar pages](#)

### Introducing XML Serialization

The following **items** can be serialized using the XmlSerializer class: ... If you need to **serialize** non-public **data**, use the BinaryFormatter class rather than ...

msdn2.microsoft.com/en-US/library/182eeyhh.aspx - 29k - [Cached](#) - [Similar pages](#)

### Durable Java: Serialization

**Serialization** incompatibilities are even more serious than API incompatibilities: we are talking about customers not being able to read **data** that they ...

www.macchiato.com/columns/Durable4.html - 35k - [Cached](#) - [Similar pages](#)

### StringValue

Convert this **item** into an atomic value, whose type corresponds to the specified target type.

static java.lang.**String**, deserializeString(byte[] **data**) ...

exist-db.org/api/org/exist/ xquery/value/StringValue.html - 52k - [Cached](#) - [Similar pages](#)

### Copyright (C) 2003-2004 \* Sean Voisen <sean@mediainsites.com >

File Format: Unrecognized - [View as HTML](#)

**Serialize** each roster **item**. for( var i in myItems ) { if( !myItems[i].**serialize**( node ) ){ ...

Adds a **single** roster **item** to the extension payload. ...

www.jivesoftware.org/.../xiff/trunk/src/

actionsript/org/jivesoftware/xiff/**data**/im/RosterExtension.as - [Similar pages](#)

### Formulator changes 1.11.1 Bugs fixed - Shut up startup warnings ...

... which splitted **strings** coming in as raw unvalidated **data** from the ... Fixed bug in MultiltemsWidget; would not deal with only a **single item** being ...

www.infrae.com/download/Formulator/HISTORY.txt - 23k - [Cached](#) - [Similar pages](#)

### Introduction to SOAP **Serialization** Rules @ XML JOURNAL

A list of three **items** is passed in the request message. 10.4.4 **Serializing** Dynamically

Typed **Data** SOAP provides for **serialization** of dynamically typed **data**; ...

xml.sys-con.com/read/40565.htm - 82k - [Cached](#) - [Similar pages](#)

### 15 Seconds : **Serialization** in the .NET Framework


Another example of when to choose to **serialize** objects is for **data** within objects that would ... Within this interface we see the following **single** method: ...

www.15seconds.com/issue/020903.htm - 78k - [Cached](#) - [Similar pages](#)

### B XQJ Support

DataDirect XQuery supports **serializing** a result sequence or **single item** into text. ...

**String**, java.io.Writer, and java.io.OutputStream. This **serialization** ...  
media.**data**direct.com/download/ docs/ddxquery/xqjsupport.html - 87k -  
[Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

serializing items data single string without betv

Search

[Advanced Groups Search](#)  
[Preferences](#)
Members: [Sign in](#)New users: [Join](#)

## Searched all groups

Results 1 - 10 of 708 for **serializing items data single string without between items** (0.14 seconds)Sorted by relevance [Sort by date](#)Recently visited [\[clear\]](#)[comp.lang.java.programmer](#)☒ [Groups Alerts](#)[Create a new group](#)[About Google Groups](#)

### [MVPs needed!! Persisting metadata...](#)

... the number of **items** I need to **serialize** is quite ... sheet and load the xml **string** (loading "**<data/>**" if the ... Second Exit Function End If Next **item** Set GetPersistor ...

[microsoft.public.excel.programming](#) - Sep 24 2003, 6:41 am by Dag Johansen - 2 messages - 2 authors

### [Q&A Performance](#)

... a **single string** event though they contain the same **data**. ... is some inefficiency in the **serialization**/deserialization of ... The 1000 **items** thing is something that my ... [Google Web Toolkit](#) - May 19, 7:14 pm by group.owner - 1 message - 1 author

### [TOC of Python Cookbook now online \(was Re: author index for Python ...](#)

... 6.7 Implementing Tuples with Named **Items** 6.8 Avoiding ... Using the marshal Module 7.2

**Serializing Data** Using the ... Cursors 7.16 Using a **Single** Parameter-Passing ... [comp.lang.python](#) - Mar 30 2005, 3:36 pm by belia...@aol.com - 11 messages - 7 authors

### [The Data Quality Act](#)

... the object to manage its own state by **serialization** to XML ... So, that 200-**item string** makes us ReDim the array 200 ... and a new array made, but the old **data** must be ...

[comp.programming](#) - Jul 10 2002, 4:00 pm by Programmer Dude - 2089 messages - 65 authors

### [Change 25098: Re: \[PATCH\] Pod::Html - correctly link to =item's on ...](#)

... A L</variable> prefixed with C<\$> that holds a **single** value. ... **item serialization** -Putting a fancy C<**data** structure> into linear order so that it can be ... [perl.perl5.changes](#) - Jul 8 2005, 6:43 am by Steve Hay - 1 message - 1 author

### Sponsored Links

[Meet Singles in Your Area](#)  
Search Through Millions of Photos.  
Find Someone Special in Your City!  
[www.Match.com](#)

[Singles Online](#)  
Meet real people for real dating.  
View profiles of people near you.  
[www.AmericanSingles.com](#)

[Single in DC?](#)  
Meet quality Singles in DC  
Parties, Trips and Introductions  
[www.DCSingles.org](#)

[Quality Singles Over 30](#)  
Meet like minded professionals  
Relationship minded - A safer way  
[www.OverThirtySingles.com](#)

[100% Free Online Dating](#)  
Why Would You Pay  
For Something That is Free?  
[www.plentyoffish.com](#)

[Meet Sexy Singles Today](#)  
Free Trial Offer! Limited Time.  
No Credit Cards Required.  
[www.singlesnet.com](#)

[Single Strings](#)  
Guaranteed low prices on a  
huge selection of musical equipment  
[www.americanmusical.com](#)

[See your message here...](#)

**Announce: Hundreds of free java source code snippets**

... file into a variable in one shot **Serialize** an object ... table header Remove all rows /

Delete all **data** Changing the ... for each node Multi-line tree **items** Wide cell ...

[comp.lang.java.programmer](#) - Jul 13 1999, 8:48 pm by Zafir Anjum

**bk commit into 4.0 tree**

... On error, this function returns @code{NULL}. @@ -39798,7 +39800,7 @@ **data** from an

old snapshot ... **item** -If nothing helps, **serialize** your transactions with ...

[mailing.database.mysql-internals](#) - Sep 10 2002, 4:04 pm by p...@kitebird.com -

35 messages - 12 authors

**Fault Tolerance and Load balancing**

... by **serializing** and saving (using .NET **serialization** services) all ... for storing and retrieving state **data** from an ... collection exposes all variable **items** that have ...

[microsoft.public.dotnet.framework](#) - Apr 2 2002, 12:28 pm by Dale Bundy (MVP)

- 4 messages - 3 authors

**WebService "not all code paths return a value" error**

... **item**.PicName = "NewBornBaby.jpg"; return **item**; Now, when ... similar to [System.Xml.

**Serialization.XmlTypeAttribute**(Namespace ... XXX;Initial Catalog=XXX;**Data** Source=XXX ...

[microsoft.public.dotnet.languages.csharp](#) - Feb 6 2005, 11:23 am by DalePres -

13 messages - 5 authors

**Announce: More java source code snippets**

... file into a variable in one shot **Serialize** an object ... table header Remove all rows /

Delete all **data** Changing the ... for each node Multi-line tree **items** Wide cell ...

[comp.lang.java.programmer](#) - Aug 4 1999, 6:34 am by Zafir Anjum

New! Get the latest messages on serializing items data single string without between items emailed to you with Google Alerts.

Goooooooooooooogle ►


Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

serializing items data single string w



[Google Home](#) - [Terms of Service](#) - [Privacy Policy](#)

©2006 Google

[Sign in](#)

**Web** Results 41 - 50 of about 493,000 for **serializing items data single string without between items** . (0.12

### Bitwise Magazine :: serious computing

This month we **serialize** various **data** type including user defined objects ... In its present form, the behaviour of the buttons and menu **items** has yet to be ...

[www.bitwisemag.com/copy/csharp/cshp1.html](http://www.bitwisemag.com/copy/csharp/cshp1.html) - 32k -

[Cached](#) - [Similar pages](#)

### bxevaluation.html

The processing efficiency for **serialization**, parsing and **data** binding will ... expression of the format since **data items** (including **strings** and lists) can ...

[www.piercef Fuller.com/bx-lib/bxevaluation.html](http://www.piercef Fuller.com/bx-lib/bxevaluation.html) - 42k -

[Cached](#) - [Similar pages](#)

### Data::Dump::Streamer - Accurately **serialize** a **data** structure as ...

If called with no args returns a list of **items** ignored (using the ... Meaning that eight characters are required **without** considering the **data** itself. ...

[search.cpan.org/perldoc?Data::Dump::Streamer](http://search.cpan.org/perldoc?Data::Dump::Streamer) - 55k -

[Cached](#) - [Similar pages](#)

package YAML; use strict; use warnings; use

YAML::Base; use base ...

=item Load(string-containing-a-YAML-stream) Turn YAML into Perl **data**. ... The **YAML serialization** language is the result of years of collaboration **between** ...

[search.cpan.org/src/INGY/YAML-0.58/lib/YAML.pm](http://search.cpan.org/src/INGY/YAML-0.58/lib/YAML.pm) - 25k -

[Cached](#) - [Similar pages](#)

### Use Write Caching to Optimize High Volume **Data** Driven Applications ...

Munge all of the **data** into a comma-delimited **string** and pass it to a custom stored procedure that ... Figure 6: **Serializing Individual Activity Items** to XML ...

[aspalliance.com/649](http://aspalliance.com/649) - 130k - [Cached](#) - [Similar pages](#)

### Raptor RDF Parser Toolkit - Raptor API

Start to **serialize** content to a **string**. string\_p must point to a void\* ... Set the sequence **item** at index idx to the value **data**, extending it if necessary. ...

[librdf.org/raptor/libraptor.html](http://librdf.org/raptor/libraptor.html) - 196k - [Cached](#) - [Similar pages](#)

### Developing Thread-Safe Libraries

... this enables them to work in both **single**-threaded and multithreaded environments — **without** ... Operating on read/write **data items** shared **between** threads ...

[h30097.www3.hp.com/docs/base\\_doc/](http://h30097.www3.hp.com/docs/base_doc/)

[DOCUMENTATION/V51B\\_HTML/ARH9VDTE/THRDSCHP.HTM](http://DOCUMENTATION/V51B_HTML/ARH9VDTE/THRDSCHP.HTM) - 38k -

[Cached](#) - [Similar pages](#)

### ItemSpace **Data** Structures for the Infinity Database Engine B-Tree

**Data** can also be stored into a new relation **without** creating the new relation in ... The enforcement of the pairing **between inverse Items** constitutes the ...

[boilerbay.com/infinitydb/ItemSpaceDataStructures.htm](http://boilerbay.com/infinitydb/ItemSpaceDataStructures.htm) - 191k - [Cached](#) - [Similar pages](#)

### Sponsored Links

#### Yahoo! Personals

Official Site - Free dating search,  
Free profile & Free photo browsing.  
[personals.yahoo.com](http://personals.yahoo.com)  
Washington, DC (Hagerstown, MD)

#### Quality Singles Over 30

Meet like minded professionals  
Relationship minded - A safer way  
[www.OverThirtySingles.com](http://www.OverThirtySingles.com)  
Washington, DC (Hagerstown, MD)

#### 100% Free Online Dating

Chat with Millions of Sexy Men  
Don't be Alone Tonight!  
[www.plentyoffish.com](http://www.plentyoffish.com)

#### Single Strings

Find a large selection of musical  
equipment at low prices.  
[www.americanmusical.com](http://www.americanmusical.com)

ONJava.com -- Prevalence: Transparent, Fault-Tolerant Object ...


However, **serialization** is limited in terms of ability to query specific **data**, and, ... Just to make things a bit more interesting, **Items** can be of different ...

[www.onjava.com/pub/a/onjava/2005/06/08/prevayler.html](http://www.onjava.com/pub/a/onjava/2005/06/08/prevayler.html) - 36k - [Cached](#) - [Similar pages](#)

Creating and Using Actions

**Without** the use of Actions this would make the sitemap almost incomprehensible. ... adding an **item** to the cart, removing one or all **items** from the cart etc. ...

[cocoon.apache.org/2.0/userdocs/concepts/actions.html](http://cocoon.apache.org/2.0/userdocs/concepts/actions.html) - 33k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

retrieve data table serializing items data single

[Advanced Search](#)  
[Preferences](#)

**Web** Results 51 - 60 of about 216,000 for retrieve data table serializing items data single string without bel

### [\[PDF\] A Study of Erlang ETS Table Implementations and Performance](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ETS **tables** based on four **data** structures: AVL balanced. binary trees, B-trees, resizable linear ... the root) to be **between** M and 2M **items**. The performance ...

[www.erlang.se/workshop/2003/paper/p43-fritchie.pdf](http://www.erlang.se/workshop/2003/paper/p43-fritchie.pdf) - [Similar pages](#)

### [JDataStore: A Pure Java Embeddable Object-Relational Database](#)

**Data** types supported include Java Object, **String** (up to 2 billion characters), ... For example, you can't add line **items** for an order until the order exists ...

[bdn2.borland.com/article/28501](http://bdn2.borland.com/article/28501) - 36k - [Cached](#) - [Similar pages](#)

### [VB.NET Core Classes in a Nutshell: Chapter 1: Introduction](#)

VisualBasic.**Strings**.UCase(CStr(item.Key)) \_ & ":" & CStr(item. ... **Single** **data** type. The following **table** lists the members of the latter that offer ...

[www.oreilly.de/catalog/vbdotnetcore/chapter/ch01.html](http://www.oreilly.de/catalog/vbdotnetcore/chapter/ch01.html) - 81k - [Cached](#) - [Similar pages](#)

### [Programming Tasks](#)

You **retrieve** these values in an array of type **String**. A **single** value for ... Do not use session persistence for storing long-term **data** **between** sessions. ...

[edocs.bea.com/wls/docs61/servlet/progtasks.html](http://edocs.bea.com/wls/docs61/servlet/progtasks.html) - 97k - [Cached](#) - [Similar pages](#)

### [Grid data processing systems and methods - Patent 6988098](#)

... (GUI) that enables the viewing of **items** like spreadsheets and databases. ... Typically, **data** to be assembled in a **table** format (grid) may be the result ...

[www.freepatentsonline.com/6988098.html](http://www.freepatentsonline.com/6988098.html) - 71k - [Cached](#) - [Similar pages](#)

### [mcsd 70-315](#)

A protocol is a set of rules that describe how two or more **items** communicate ... Common types, System, All the common **data** types, including **strings**, arrays, ...

[www.careeracademy.com/index.asp?PageAction=Custom&ID=157](http://www.careeracademy.com/index.asp?PageAction=Custom&ID=157) - 85k -

[Cached](#) - [Similar pages](#)

### [Dr. Dobb's | Embedded Databases | November 6, 2002](#)

... we used OIDs as the Berkeley DB keys and serialized BLOBs as the **data** **items**. ... **Data** **serialization** is the process of transforming in-memory object ...

[www.ddj.com/184405226](http://www.ddj.com/184405226) - 50k - [Cached](#) - [Similar pages](#)

### [\[PDF\] UIGRUIADD WI ?](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

no **item** enters service **without** the **data** elements needed to construct a unique ... A database shall be capable of using the UID to **retrieve** the **data** record ...

[tscp.org/UID/uid\\_policy\\_guidance\\_2003.07.29.pdf](http://tscp.org/UID/uid_policy_guidance_2003.07.29.pdf) - [Similar pages](#)

### [Pass the MCAD/MCSD: Learning to Access and Manipulate XML Data ...](#)

**Items**.Add(sbNode.ToString()); // Now add the attributes, if any if (xr. ... Figure 2.15 Figure 2.15 You can **retrieve** **data** as XML from a SQL Server database ...

[www.examcram2.com/articles/article.asp?p=31696&seqNum=6](http://www.examcram2.com/articles/article.asp?p=31696&seqNum=6) - 48k -  
[Cached](#) - [Similar pages](#)

[Nierop Webconsultancy - The scalable Session manager for Asp and ...](#)  
Writing **data** to the Application replacement **without** locking it before, ... default property or  
indexer, Sets/lets/gets **items** within the instance of the ...  
[www.nieropwebconsult.nl/asp\\_session\\_manager.htm?page=specs](http://www.nieropwebconsult.nl/asp_session_manager.htm?page=specs) - 33k -  
[Cached](#) - [Similar pages](#)

◀ Goooooooooooooooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [Next](#)

retrieve data table serializing items data single string without between items

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	serializ\$6 near5 (element item data information table row ) near5 single adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 09:37
L2	7997	serializ\$6 near5 (element item data information table row )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:16
L3	22	2 and (serializ\$6 element item data information table row) near5 single adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:17
L4	21	3 and (serializ\$6 element item data information table row single adj1 string) near5 (without "no" "not") near5 (inser\$6 add\$5 additional gap item data between)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:36
L5	5806	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:20
L6	111	5 and serializ\$6 near5 (element item data information table row )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:16
L7	0	6 and (serializ\$6 element item data information table row) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:18
L8	0	6 and (serializ\$6 element item data information table row format\$6 output\$6 retriev\$6) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:20
L9	292	715/518,522.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:20
L10	1	9 and (serializ\$6 element item data information table row format\$6 output\$6 retriev\$6) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:33
L11	3	2 and (compact\$6 compress\$6 size resiz\$5 re?size fit\$5) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:44

## EAST Search History

L12	25	2 and (compact\$6 compress\$6 size resiz\$5 re?size fit\$5 receiv\$6 format\$6 output\$4 formulat\$6) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:36
L13	3	12 and (serial\$6 compact\$6 compress\$6 size resizing\$5 re?size fit\$5 receiv\$6 format\$6 output\$4 formulat\$6 ((one single) adj1 string)) near5 (without "no" "not") near5 (insert\$6 add\$5 additional gap item data between spaces\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:53
L14	15266	709/203,216-219,231-232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:43
L15	30	14 and (serial\$6 compact\$6 compress\$6 size resizing\$5 re?size fit\$5 receiv\$6 format\$6 output\$4 formulat\$6) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:44
L16	28	15 and (without "no" "not") near5 (insert\$6 add\$5 additional gap item data between spaces\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:52
L17	6	("KUMAKURA, JIRO").inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:52
L18	5890	17 single near2 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:53
L19	0	17 and single near2 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:53
L20	0	17 and (without "no" "not") near5 (insert\$6 add\$5 additional gap item data between spaces\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:53